




Apach

COOK *line*



| RIF. | CODE S42RP | DESCRIZIONE | Q.TY |
|------|----------------|----------------------------------|------|
| 37 | STEPROTEZ01 | LOWER POLYCARBONATE PROTECTION | 1 |
| 39 | CS00099 | COMPLETE SCRAPER | 2 |
| 42 | CS00101 | Top polycarbonate cover | 1 |
| 43 | - | Top roller assembly | 1 |
| 44 | STESCIV03 | Top chute | 1 |
| 45 | - | Down roller assembly | 1 |
| 49 | STESCIV04 | Bottom chute | 1 |
| 50 | STESEZ01 | Bipolar switch disconnecter | 1 |
| 51 | STEDIST02 | Top chute spacers H=35mm | 4 |
| 52 | STEDIST03 | Bottom chute spacers H=50mm | 4 |
| 53 | PIEDINO02 | Rubber feet | 4 |
| 54 | STESTRUTTURA02 | Chassis S42RP | 1 |
| 55 | STEPIASTRA02 | Iron support plate | 1 |
| 56 | STEPULEGGIA01 | Toothed pulley | 2 |
| 57 | - | Key | 2 |
| 58 | - | Seeger « E type » for shaft Ø 14 | 2 |
| 59 | STECINGHIA03 | Toothed belt | 1 |
| 60 | STEMOTGGF | Ratio-motor with spacers | 1 |
| 61 | - | Key | 1 |
| 62 | CS00100 | Back lid | 1 |
| 63 | CAVO06 | Supply cable with Shuko plug | 1 |
| 64 | STEPED01 | Foot pedal | 1 |
| 65 | STEINT01 | Main switch on/off | 1 |
| 66 | STESCHEDA01 | Contactore | 1 |





| RIF. | COD. S42RP | DESCRIZIONE | Q.TY |
|-------|------------------|---|------|
| 1 | STETAP02 | Cap for adjustment knob | 2 |
| 2 | - | Seeger « E type » for shaft Ø 10 | 2 |
| 3 | STEMOLGGF | Knob spring Ø 12.3*20 | 2 |
| 4 | STEMAN01 | Adjustment knob | 2 |
| 7 | - | Key | 2 |
| 9 | - | Cheese-headed cross screw M4x10 stainless | 2 |
| 10 | - | Hexagonal-head screw M6x16 | 2 |
| 11 | - | Cheese-headed cross screw M6x10 | 1 |
| 12 | - | Self-locking washer | 2 |
| 13 | STEFAN06 | Top adjustment flange | 1 |
| 14 | STEALB013 | Top eccentric shaft Ø 15 | 1 |
| 15 | STEALB014 | Top cylindrical shaft Ø 20 | 1 |
| 16 | STETIRANTE04 | Top tie rod | 1 |
| 17 | STERUL15 | Top rollers | 2 |
| 18 | STEGHI01 | Roller joint of POMC | 4 |
| 19 | STEFAN07 | Top roller driving flange | 1 |
| 20 | - | Cheese-headed cross screw M4x10 stainless | 1 |
| 21 | STEBOC03 | Hardened bush 32x36x45x5x9 | 4 |
| 22+23 | STEPICO2 | Bevel gear Ø 15 | 4 |
| | | | |
| 24 | STEALB.PUL.SUP | Top driving shaft | 1 |
| 25 | STEPICO4 | Bevel gear Ø14 | 4 |
| 26 | STECUSCIN01 | Driving ball bearing | 4 |
| 27 | - | Seeger « E type » for shaft Ø 14 | 4 |
| 28 | - | Key 4x4x10mm | 4 |
| 29 | - | Cheese-headed cutting screw M5x10 | 2 |
| 30 | STEPROT01 | Gear cover | 2 |
| 31 | STEMOLGGF01 | Scraper tension spring | 2 |
| 32 | STEFAN08 | Bottom adjustment flange | 1 |
| 33 | STEALB09 | Bottom eccentric shaft Ø 15 | 1 |
| 34 | STEALB010 | Bottom cylindrical shaft Ø 20 | 1 |
| 35 | STETIRANTE02 | Bottom tie rod | 1 |
| 36 | - | Cheese-headed cutting screw M5x10 | 1 |
| 37 | STEPROTEZ01 | Bottom polycarbonate cover | 1 |
| 38 | STERUL13 | Bottom rollers | 2 |
| 39 | CS00099 | Scrapers | 2 |
| 40 | STEFALN05 | Bottom roller driving flange | 1 |
| 41 | STEALB.TRASM.INF | Bottom driving shaft | 1 |